Alpine STRUCTURES

Restructure your backyard!







Not all buildings are created equal.

It all started one winter many years ago, in a small shop where our first storage barns were built. By the end of the year, our founder, Mose Miller, realized the need for storage buildings, and in 1981 Alpine Structures was born. As we continue to grow, Alpine Structures remains dedicated to providing high-quality products with excellent customer service. Our success is credited first and foremost to God who has blessed us abundantly with wonderful employees and loyal customers.

Javan Miller, owner



The Difference4	Floor Models7
Door System5	Structure Comparison8-9
Strongback Nailer6	

Alpine Structures......10-31

Bigger Buildings, Flexible Options



Ez-fit Shed 32-37

Small Sheds With Big Features



2000 Series 38-45

Our Most Economical Structures



Large Structures 46-53

Cabins, Garages & Loft Barns



Site Prep	54
ProStruct Flooring	55
Siding 56-	57
Roof Options	58

Window & Door Options	59
Paint & Stain Options	60-61
Accessories	62
Delivery	63

alally from the inside out

Aluminum Dripedge...page 4

Metal Truss Plates...page 4

Shingle or Metal Roof...page 58

Primed Trim...page 4

Paint or Stain Colors...page 60-61

Strongback Nailer...page 6

2x4" Framing 16" O.C.

Premium Grade Lumber

4x4" Treated Runners



Choice of three Floor Models...page 7

Siding Options...pages 56-57

Triple-layer door system...page 5

discover the Alpine difference

Aluminum Dripedge



Added protection against rain, snow, and ice.

Smartside Soffit and Frieze Board



Standard on Cabana, Cove, Frontier, and Skyview. Optional on other styles.

Primed Trim



Standard on all buildings except barnsiding. Decay resistant, primed trim that is ready to face the outdoors.

Metal Truss Plates



Provides superior strength versus wooden gussets.

Double 2x8" top-plate



On Alpine Barnstyles, the rafter is located on outer edge of 2x8" top-plate. Increases wall strength and provides more loft storage.



the triple-layer door system



Layer #1 – Our 2x3" Door frame is built with premium grade lumber and fastened with a metal truss plate for superior strength.

Layer #2 – LP Smartside Siding that resists warping and cracking, and defies termite damage.

Layer #3 – Decay resistant primed trim that is ready to face the outdoors.






6" Heavy-duty
T-hinges with bushings.

Slandard on Alpine & 2000 Series.



12" Decorative T-hinges with bushings. *Standard on EZ-Fit Sheds*.

Alpine strongback nailer



- A STRONGER WALL
- A STRAIGHTER WALL
- 🍘 INCREASED NAILING SURFACE
- STANDARD ON ALL HIGH SIDEWALLS

Using computerized components saws, each individual wall stud is cut with a specialized notch. We then install our 2x3" Strongback Nailer, creating a *straighter*, *stronger wall*, and providing *increased nailing surface* for our siding panels.



floor models

Why are the floor joists flat vs. on edge?

Structural Integrity - Flat joists mean more holding power by face-nailing floor joists to 4x4" runners vs. toe-nailing.

Larger support area – Actual distance between floor joists is only 12½"!

Ease of use – Enjoy a minimal step up into your building with this user friendly design.

Standard Model




Supreme Model



Floor: 34" CDX Plywood-16" O.C. floor joists 4x4" treated skids


Walls: 24" O.C. wall studs





Floor: 34" ProStruct Flooring 16" O.C. treated floor joists 4x4" treated skids

Walls: 16" O.C. wall studs






Floor: 2x6" Treated Tongue & Groove 4x4" treated skids

Walls: 16" O.C. wall studs





Alpine Structures

Our signature series — the Alpine Structures are bigger buildings, with flexible options. Building sizes start at 8x8' all the way to 16x32' and include special features like a 12" overhang on gable ends and air vents. Careful consideration should be taken when choosing the flooring, the Alpine Structures are available in deluxe and supreme models, for more information see page 7.



6'6" Sidewalls 1-24x36" Aluminum window Bar shutters 52" Double doors 4/12 Pitch roof

2x4" Single top-plate Sizes: 8x8' - 16x32'



6'6" Sidewalls on 10' and 12' 7' Sidewalls on 8' wide buildings 2-24x47" Aluminum windows 52" Double doors 30" Single door 3 Pitch roof 2x4" Single top-plate

Sizes: 8x12' - 12x24'



4' Sidewalls 52" Double doors 2x8" Double top-plate Storage loft B** Sizes: 8x8' - 14x24'



6'6" Sidewalls 52" Double doors 2x8" Double top-plate Storage loft B** Sizes: 8x8' - 16x32'



6'6" Sidewalls 52" Double doors 2x8" Double top-plate Storage loft B** Sizes: 10x12' - 16x32'



6'6" Sidewalls 1-24x36" Aluminum window Bar shutters 52" Double doors 30" Single door 12/12 Pitch roof 2x4" Single top-plate Storage loft B** Sizes: 10x14' - 16x32'



6'6" Sidewalls 1-24x36" Aluminum window Bar shutters

52" Double doors 30" Single door

6/12 Pitch roof 2x4" Single top-plate

Sizes: 8x12' - 16x32'



6'6" Sidewalls 2-24x36" Aluminum windows

Bar shutters 52" Double doors

30" Single door 8/12 Pitch roof

2x4" Single top-plate

Storage loft A*

Sizes: 8x12' - 16x32'



6'6" Sidewalls

2-24x36" Aluminum windows

Bar shutters 52" Double doors

30" Single door

6/12 Pitch roof

2x4" Double top-plate

Storage loft A* Sizes: 8x12' - 16x32' Frontier

6'6" Sidewalls

1-18x27", 1-24x36" alum, windows

Bar Shutters

52" Double doors

30" Single door

12/12 Pitch roof

2x4" Single top-plate Storage loft A*

Sizes: 10x14' - 16x32'



6'6" Sidewalls

1-24x36" Aluminum window

see page 7 for

flooring options!

Bar Shutters

52" Double doors

2x4" Single top-plate

Sizes: 8x8' - 12x24'



6'6" Sidewalls

1-24x36" Aluminum window

Ouaker

Bar shutters

52" Double doors

2x4" Single top-plate

Sizes: 8x8' - 12x24'



 $A^* = 4'$ loft in buildings up to 10' long, 2-4' lofts in buildings over 10' long.

 $B^{**} = 2'$ loft in 8' wide buildings, 4' loft in 10' wides, 2-4' lofts in 12', 14', and 16' wides.



EZ-Fit Sheds

Small Sheds With Big Features

Available with deluxe or supreme floors

Ez-Fit Shed Standard Features

6'6" Sidewalls

"Z" Shutters

Decorative hinges


6/12 Pitch roof

6" Fascia

2x4" Double top-plate

Storage loft A*

Sizes: 8x8' - 12x24'




60" double doors 30" single door 2-24x36" windows



60" double doors 1-30x36" double window



60" double doors 1-24x36" window 1-30x36" window



6'6" Sidewalls
24x47" Windows,
amount varies by size
30" Single door with
double transom windows
Decorative hinges
6 Pitch roof
Sun Sky roof
2x4" Double top-plate
24" wide shelving
Sizes: 8x8' – 10x16'

2000 Series

Our Most Economical Structures

Available with standard, deluxe, or supreme floors



4' Sidewalls 52" Double doors 2x4" Single top-plate Sizes: 8x8' – 12x24'



6'6" Sidewalls 52" Double doors 2x4" Single top-plate Sizes: 8x10' – 12x24'



6'6" Sidewalls 52" Double doors 6/12 Pitch roof 2x4" Single top-plate Sizes: 8x10' – 12x24'



6'6" Sidewalls 1-24x36" Alum. window 8x6'6" Garage door 36" Single door 2x4" Single top-plate 1-4' Loft Sizes: 12x16' – 12x28'

Structures Structures

Cabins, Garages & Loft Barns See page 54 for foundation options.



8' Sidewalls 36" 9-lite entrance door 2x8" Double top-plate Full loft w/steps Sizes: 16x20' – 16x32'



8' Sidewalls
36" 9-lite entrance door
12/12 Pitch roof
2x4" Double top-plate
Full loft w/steps
Sizes: 16x20' – 24x40'



8' Sidewalls 36" 9-lite entrance door 4/12 Pitch roof 2x4" Double top-plate Sizes: 20x20' – 30x48'



8' Sidewalls 36" 9-lite entrance door 2x8" Double top-plate Full loft w/steps Sizes: 20x20' – 24x40'

see page 54 for site prep details!

Alpine Gable WITH 12" OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls (7'1" inside headroom) 7' and 8' sidewalls optional

ROOF

4 pitch roof Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Air vents

DOORS

52" double doors with USA made lockset

WINDOWS

1 - 24x36" window with bar shutters


BUILDING SIZES

ELITE PACKAGE INCLUDES

7' sidewalls 6 pitch roof

LOFTS

4' loft building up to 10' long 2-4' loft in buildings over 10' long





8x12' Gable

ALSO AVAILABLE WITH 18" OVERHANG (18" o.h. in front and 6" o.h. in back)

WIDTH DEPTH STD. HEIGHT ELITE HEIGHT 10' 12' 14' 16' 20' 24' 28' 32' 8' 8" 10'2" 91 10' 10'8" 12' 9' 4" 11'2" 14' 9' 8" 11'8" 12'2"

66 Sidewalls 66" Sidewalls 12" Overhang



10x16' Elite Gable with transom windows and metal roof

10x20' Elite Gable with options



Alpine Cabana

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls on 10' and 12' wide buildings 7' sidewalls on 8' wide buildings

ROOF

3 pitch roof
2x6" rafters
Enclosed soffits
Frieze board
Metal roof
16" front overhang with rough sawn rafters

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 6" Fascia trim Air vents

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

2- 24"x47" windows with trim

POPULAR OPTIONS

Transom windows
Decorative hinges



WIDTH			DEPTH			STD. HEIGHT
	12'	14'	16'	20'	24'	
8'	•					10' 4"
10'	•	•	•	•		10' 1"
12'			•	•	•	10' 7"





Alpine Barnstyle WITH 4' HIGH SIDEWALLS

STANDARD FEATURES

POPULAR OPTIONS

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

4' sidewalls

ROOF

Aluminum dripedge

CONSTRUCTION

Primed Smartside Siding 2x4" wall framing 2x8" double top-plate Air vents


LOFTS

see chart below

DOORS

52" double doors with USA made lockset


Cupola 30 year dimensional shingles Double door threshold







WIDTH		STD. HEIGHT LOFT(S)							
	8'	10'	12'	14'	16'	20'	24'		
8'	•	•	•					8' 6"	2'
10'		•	•	•	•	•		9' 5"	4'
12'			•	•	•	•	•	9' 8"	two 4'
14'					•	•	•	10'	two 4'





Alpine Barnstyle WITH 6'6" HIGH SIDEWALLS

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x8" double top-plate Air vents

LOFTS

see chart below

DOORS


52" double doors with USA made lockset

POPULAR OPTIONS


Windows 30 year dimensional shingles Cupola Weathervane



16x24' with garage door, 8' sidewalls, window, and dim. shingles



WIDTH			DE		STD. HEIGHT	LOFT(S)					
	8'	10'	12'	14'	16'	20'	24'	28'	32'		
8'	•	•	•							11'	2'
10'		•	•	•	•	•				11' 10"	4'
12'			•	•	•	•	•			12' 2"	two 4'
14'					•	•	•	•	•	12' 5"	two 4'
16'						•	•	•	•	12' 8"	two 4'





Alpine Barnstyle WITH 6'6" HIGH SIDEWALLS & 4' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

Aluminum dripedge 4' self-supporting overhang 6' overhang optional 2x6" rafters

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x8" double top-plate 6" fascia trim Air vents

LOFTS


see chart below


DOORS

52" double doors with USA made lockset

POPULAR OPTIONS

Treated deck









WIDTH				STD. HEIGHT	LOFT(S)				
	12'	14'	16'	20'	24'	28'	32'		
10'	•	•	•	•				11' 10"	4'
12'	•	•	•	•	•			12' 2"	two 4'
14'			•	•	•	•	•	12' 5"	two 4'
16'				•	•	•	•	12' 8"	two 4'



Alpine A-Frame WITH 4' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8'sidewalls optional

ROOF

12 pitch roof Aluminum dripedge 4' overhang

CONSTRUCTION

Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" single top-plate
6" fascia trim
Air vents
4' treated deck with posts and "Y" braces

LOFTS

2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1-24x36" window with bar shutters

POPULAR OPTIONS

7' sidewalls Insulated windows 30 year dimensional shingles



WIDTH			HEIGHT	LOFTS				
	14'	16'	20'	24'	28'	32'		
10'	•	•	•				13'	two-4'
12'		•	•	•			14'	two-4'
14'			•	•			15'	two-4'
16'			•	•	•	•	16'	two-4'





Alpine Cottage

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls (7' 1" inside headroom) 7' and 8'sidewalls optional

ROOF

6 pitch roof Aluminum dripedge

CONSTRUCTION

Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" single top-plate
4" fascia trim
Air vents
4' treated deck with posts and "Y" braces

DOORS

52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1 - 24x36" window with bar shutters

ELITE PACKAGE INCLUDES

7' sidewalls 6 pitch roof

LOFTS

4' loft in building up to 10' long 2-4' lofts in buildings over 10' long



Standard 6'6" Sidewalls - 4 Pitch - No Loft



Elite Package 7' Sidewalls - 6 Pitch - Loft

BUILDING SIZES

WIDTH				DEF		STD. HEIGHT	ELITE HEIGHT			
	10'	12'	14'	16'	20'	24'	28'	32'		
8'		•							10' 5"	11' 1"
10'	•	•	•	•	•				10' 11"	11' 7"
12'		•	•	•	•	•			11' 5"	12' 1"
14'			-:	•	•	•	•	•	12' 1"	12' 9"
16'					•	•	•	•	12' 5"	13' 3"

Note: Gable style buildings with 12", 18" and 42" overhangs do not include a porch floor.

Cottage style buildings include a porch floor.











Alpine Skyview

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

8 pitch roof (9 pitch roof on 8x12' Skyview) 8' dormer with transom windows Enclosed soffits Frieze board Aluminum dripedge 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top plate 4" fascia trim Air vents

LOFTS

2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

2 - 24x36" windows with 1 set bar shutters

POPULAR OPTIONS

Transom windows Metal roof Flowerboxes



WIDTH				DEPTH				STD. HEIGHT
	12'	14'	16'	20'	24'	28'	32'	
8'	•			7.				10' 8"
10'		•	•	•				10' 11"
12'			•	•	•			11' 7"
14'				•	•	•	•	12' 3"
16'					•	•	•	12' 11"





Alpine Cove

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8'sidewalls optional

ROOF

6 pitch roof Aluminum dripedge Enclosed soffits Frieze board 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate 4" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' over

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

2-24x36" windows with bar shutters

POPULAR OPTIONS

Transom windows Decorative hinges



WIDTH					STD. HEIGHT			
	12'	14'	16'	20'	24'	28'	32'	
8'	•							9' 9"
10'		•	•	•				10' 3"
12'			•	•	•			10' 9"
14'				•	•	•	•	11' 3"
16'					•	•	•	10' 9"





Alpine Frontier

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

12 pitch roof Roof apron on front gable Enclosed soffits Frieze board Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 6" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1-24x36" window with bar shutters 1-18x27" window with bar shutters in front gable

POPULAR OPTIONS

Loft railing Captain's ladder to loft Garage Door 7' sidewalls Shake siding



WIDTH							STD. HEIGHT
	14'	16'	20'	24'	28'	32'	
10'	•	•	•				13'
12'		•	•	•			14'
14'			•	•	•		15'
16'				•	•	•	16'









Alpine Gable WITH 42" OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls (7' 1" inside headroom) 7' and 8' sidewalls optional

ROOF

4 pitch roof Aluminum dripedge 42" overhang

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Air vents

DOORS

52" double doors with USA made lockset

WINDOWS

1- 24x36" window with bar shutters


ELITE PACKAGE INCLUDES


7' sidewalls 6 pitch roof


LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long









Elite Package 7' Sidewalls - 6 Pitch - Loft

WIDTH	DEPTH							STD. HEIGHT ELITE HEIGHT		
	8'	10'	12'	14'	16'	20'	24'			
8'	•	•	•					9'	10' 8"	
10'		•	•	•	•	•		9' 4"	11' 2"	
12'			•	•	•	•	•	9' 8"	11' 8"	








10x14' Quaker

10x12' diamonds top and bottom





Elite Package 7' Sidewalls - Loft

BUILDING SIZES

WIDTH			DEF	STD. HEIGHT	ELITE HEIGHT				
	8'	10'	12'	14'	16'	20'	24'		
8'	•	•	•					9'8"	10'4"
10'		•	•	•	•	•		10'2"	10'10"
12'			•	•	•	•	•	10'5"	11'1"

Alpine Quaker

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls (7' 1" inside headroom) 7' and 8' sidewalls optional

ROOF

Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Air vents

DOORS

52" double doors with USA made lockset

WINDOWS

1- 24x36" window with bar shutters

ELITE PACKAGE INCLUDES

7' sidewalls

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long

Ez-Fit Sheds

Small sheds with big features

THREE BUILDING STYLES

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

6 pitch roof 25 year shingles Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" double top-plate 6" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long

DOORS

60" double doors with USA made lockset 12" Decorative hinges

WINDOWS

"Z" Shutters

RIVERSIDE

60" double doors 30" single door 2-24x36" windows



HERITAGE

60" double doors 1-24x36" window 1-30x36" window




HOMESTEAD

60" double doors 1- Double 30x36" window



EZ-FIT SHED SIZES

WIDTH DEPTH						HEIGHT			
		8'	10'	12'	14'	16'	20'	24'	
	8'	•	•	•					9' 9"
	10'		•	•	•	•	•		10' 3"
	12'					•	•	•	10' 9"











10x14' Heritage with 7' walls, transom windows, and metal roof







Ez-Fit Greenhouse

STANDARD FEATURES

FLOOR MODELS see page 7

Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6' sidewalls 7' and 8' sidewalls available

ROOF

6 pitch roof Sun Sky roofing

CONSTRUCTION

Strongback nailer Primed Smartside Siding 2x4" double top plate air vents

SHELVING

24" wide molded greenhouse shelving

DOORS


30" single door with double transom windows

WINDOWS

24x47" windows, amount varies by size of greenhouse. See chart in next column.

GREENHOUSE SIZES

WIDTH		DEPTH							
	8'	10'	12'	14'	16'				
8' Wide	•	•	•			9' 9"			
WINDOWS PER BUILDING	9	11	13						
10' Wide			•	•	•	10' 3"			
WINDOWS PER BUILDING			14	14	16				
WINDOWS PER LENGTH OF WALL	3	4	5	5	6				













2000 Series

WITH 4' HIGH SIDEWALLS

Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 3/4" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7 3/4" C.D.X. plywood floor Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

4' sidewalls

ROOF

Aluminum dripedge 6" roof overhang front and back

CONSTRUCTION

Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Wall framing 24" o.c. Air vents

DOORS

52" double doors with USA made lockset

COMPARE TO

Alpine Barnstyle WITH 4' HIGH SIDEWALLS

2000 Series Does Not Include:

2x8" double top plate Lofts 12" roof overhang front and back 3/4" ProStruct or 2x6" T.G. flooring


2000 Series Includes:

2x4" single top plate 6" roof overhang front and back 3/4" C.D.X. plywood floor Less headroom than Alpine Barnstyle 4' 12' wide 2000 Series floor width: 11' 6"

BUILDING SIZES

WIDTH		DEPTH									
	8'	10'	12'	14'	16'	20'	24'				
8'	•	•	•					7' 10"			
10'		•	•	•	•	•		8' 3"			
12' *					•	•	•	8' 7"			

*12' wide 2000 Series floor width: 11' 6"











2000 Series

WITH 6'6" HIGH SIDEWALLS

Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 3/4" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7 3/4" C.D.X. plywood floor Available in Standard, Deluxe, or Supreme

SIDEWALL HEIGHT

6'6" sidewalls

ROOF

Aluminum dripedge 6" roof overhang front and back

CONSTRUCTION

Strongback Nailer
Primed Smartside Siding
2x4" wall framing
2x4" single top-plate
Wall framing 24" o.c.
Air vents

DOORS

52" double doors with USA made lockset

BUILDING SIZES

WIDTH		HEIGHT						
	8'	10'	12'	14'	16'	20'	24'	
8'	•	•	•					10' 5"
10'		•	•	•	•	•		10' 8"
12' *					•	•	•	10' 11"

*12' wide 2000 Series floor width: 11' 6"

COMPARE TO


Alpine Barnstyle WITH 6'6" HIGH SIDEWALLS

2000 Series Does Not Include:

2x8" double top plate Lofts 12" roof overhang front and back ¾" ProStruct or 2x6" T.G. flooring

2000 Series Includes:

2x4" single top plate 6" roof overhang front and back ¾" C.D.X. plywood floor Less headroom than Alpine Barnstyle 6'6" 12' wide 2000 Series floor width: 11' 6"











2000 Series Gable

Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 3/4" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7 3/4" C.D.X. plywood floor Available in Standard, Deluxe, or Supreme

SIDEWALL HEIGHT

6'6" sidewalls

ROOF

Aluminum dripedge 6" roof overhang front and back 6 pitch roof

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Wall framing 24" o.c. Air vents

DOORS

52" double doors with USA made lockset

COMPARE TO

Alpine Gable WITH 12" OVERHANG

2000 Series Gable Does Not Include:

12" roof overhang on all sides lofts 3/4" ProStruct or 2x6" T.G. flooring


2000 Series Includes:

2x4" single top plate 6" roof overhang front and back 3/4" C.D.X. plywood floor 12' wide 2000 Series floor width: 11' 6"

WIDTH			HEIGHT					
	8'	10'	12'	14'	16'	20'	24'	
8'		•	•					9' 1"
10'		•	•	•	•	•		9' 7"
12' *					•	•	•	10'

^{*12&#}x27; wide 2000 Series floor width: 11' 6"











2000 Series Garage

Our 2000 Series sheds offer plenty of storage at an affordable price.

STANDARD FEATURES

FLOOR MODELS see page 7

Available in Deluxe or Supreme 2x4" treated floor joists 12" o.c. 3/4" ProStruct floor

SIDEWALL HEIGHT

6'6" sidewalls – on barnstyle 7' sidewalls – on gable style

ROOF

6 pitch roof – on gable style 6" roof overhang front and back Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Air vents

LOFTS

4' loft in back of building

DOORS

36" single door with USA made lockset 8'x6'6" non-insulated garage door Metal garage door threshold

WINDOWS

1-24x36" aluminum window

TWO BUILDING STYLES


GABLE STYLE

7' walls 6 pitch roof 10'9" height









Gable Style Garage

Original Barnstyle Garage

WIDTH		DEPTH			HEIGHT BARN:	HEIGHT GABLE:	
	16'	20'	24'	28'	DAKIN:	GABLE:	
12'*	•	•	•	•	10' 11"	10' 9'	

^{*2000} Series Garage floor width: 11' 6"









Alpine Barnstyle Cabin WITH 6' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 see price list for flooring options

SIDEWALL HEIGHT

8' sidewalls (7'1" first floor headroom) 6' rafter (6'5" second floor headroom)

ROOF

6' overhang 2x6" rafters Aluminum dripedge 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer
Primed Smartside Siding
Treated deck
Posts with "Y" braces
2x4" wall framing
Air vents
Synthetic felt paper
Truss anchor screws

LOFTS


Full loft with steps 2x10" loft joists 16" o.c. below top plate

DOORS

Entrance door with glass

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit



WIDTH		DEPTH						
	20'	24'	28'	32'				
16'	•	•	•	•	16' 4"			









Alpine A-Frame Cabin WITH 6' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 see price list for flooring options

SIDEWALL HEIGHT

8' sidewalls

ROOF

12 pitch roof Aluminum dripedge 6' overhang 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate Air vents Wall studs 16" o.c. 6" fascia trim Synthetic felt paper Truss anchor screws

DOORS

Entrance door with glass

LOFTS

Full loft w/steps, landing, and railing Loft below top plate 2x10" loft joists 16" o.c. 16' wide buildings 14" floor trusses 24" o.c. 20' wide buildings 16" floor trusses 24" o.c. 24' wide buildings


DECKS

6' deck and "Y" posts are standard on 16' wide cabins

6' deck and posts are optional on 20' and 24' wide cabins

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit Additional doors



BUILDING SIZES

WIDTH		DEPTH								
	20'	24'	28'	32'	36'	40'				
16'	•	•	•	•			17' 7"			
20'		•	•	•	•	•	19' 9"			
24'		•	•	•	•	•	21' 9"			





16x20' with vinyl siding



Alpine Garages

STANDARD FEATURES

FLOOR MODEL

Permanent foundation required – see page 54.

SIDEWALL HEIGHT

8' sidewalls

ROOF

4 pitch roof Aluminum dripedge OSB roof sheathing 30 year dimensional shingles 12" overhang on all sides

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate Wall studs 16" o.c. Air vents Synthetic felt paper Truss Anchor Screws

DOORS

Entrance door with glass

BUILDING SIZES

WIDTH		HEIGHT					
	20'	24'	28'	32'	36'	40'	
20'	•	•	•	•	•	•	12'
24'		•	•	•	•	•	12' 10"

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit 8-16' wide garage doors Vinyl siding Steeper roof pitch 2x6" walls

GARAGE DOOR COLORS










Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.













Alpine Loft Barns

STANDARD FEATURES

FLOOR MODELS

Permanent foundation required – see page 54.

SIDEWALL HEIGHT

8' sidewalls

ROOF

Aluminum dripedge 2x6" roof trusses 24" o.c. OSB roof sheathing 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing Wall studs 16" o.c.

Air vents Synthetic felt paper Steps and railings Truss anchor screws

LOFTS


Full loft (see chart for headroom) Clearspan floor trusses for loft area

DOORS

Entrance door with glass

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit 8' Overhang with posts Porch and railing 8'-16' Wide Garage Doors 2x6" Walls



WIDTH			DEF	BLDG. HEIGHT	LOFT HEIGHT			
	20'	24'	28'	32'	36'	40'		
20'	•	•	•	•	•	•	18'	7' 10"
24'		•	•	•	•	•	18' 8"	8' 5"





Site Prep

Alpine Structures offers several of these site-prep options. Ask your salesman for availability in your area.

SMALL STRUCTURES



- 1. Limestone base should be 12" larger than building on four sides.
- 2. Remove 3-4" of sod.
- 3. Fill back in with No. 8 or No. 57 limestone.
- 4. Make sure entire area of limestone is level.



8"x16" x 2" thick concrete patio blocks are placed underneath each skid a maximum of 6' on center.



4x4"s are placed crossways underneath building. 4x4" supported with solid concrete blocks on low side and dug into ground (as needed) on high side.



LARGE STRUCTURES



Pressure/treated posts with 2x8" stringers for sloped applications.



Pressure/treated posts 8' o.c. with 2x8" treated rim boards and 2x8" treated cap.



Block foundation with frost protected footer and concrete floor.



An Attractive, Durable Finish For Sheds

A flooring designed and warranted specifically for sheds, LP° ProStruct° Flooring with SmartFinish° features a durable overlay for a beautiful, professional-grade appearance. With no knots or voids, it's a welcome change from building with traditional plywood flooring. Plus, unlike plywood shed floors, LP° ProStruct° Flooring with SmartFinish° is treated with the LP° SmartGuard° process for longer-lasting performance in a variety of climates/weather.





Features & Benefits

A Shed Floor With Protection Against Decay & Damage

The shed floor you've been searching for is here, specially treated with SmartGuard* wood strand technology to resist fungal decay and termite damage.

An Easy Shed Floor Install

The LP® ProStruct® Flooring with SmartFinish® installs like conventional floor panels.



Knot and Void Free

Durable overlay for a professional-grade appearance with no knots or voids so your shed floor is as durable as it is attractive.

Longer-Lasting Performance

SmartFinish® flooring has excellent resistance to warping, splitting and cupping.

Siding Options

LP Smartside Siding

Standard on all buildings



All LP® SmartSide® products are treated to the core through LP's proprietary SmartGuard® process. With four components of protection, the SmartGuard process adds strength and helps LP SmartSide products withstand impacts, freeze/thaw cycles, high humidity, fungal decay and more. Smartside siding is backed by a 50 year prorated limited warranty.

We're proud to offer SmartSide® standard on all of our buildings.





Waxes

Special water-resistant waxes coat each strand or fiber of wood for enhanced durability in rainy, humid environments.

Zinc Borate

Engineered wood products treated with zinc borate have been proven to effectively resist damage from termites and fungal decay for decades. Safe for children and pets, this naturally occurring additive provides long-lasting performance that preserves the beauty of LP SmartSide Trim and Siding.

Resin-Saturated Overlay

Offering the final layer of protection against the elements, a resin-saturated overlay resists moisture intrusion while providing a durable base for quality paint adhesion and beauty.

Advanced Binders

LP SmartSide Trim and Siding provide incredible strength to resist impact damage thanks to their industrial grade binders and resins. You'll have the confidence of knowing that your siding can stand up to everyday airborne debris such as hail, sticks, or golf balls.



LP Horizontal Lap Siding

Standard features

50 year prorated, limited warranty
Treated with a Zinc Borate application
Resistant to fungal decay and termite damage
Primed face





Vinyl Siding

Standard features

Double 4" dutchlap siding OSB subsiding & sheathing 4' Ridgevent Available on all sizes & styles

Options Flowerboxes Vinyl railing

Base color includes
Siding
Corner Trim
Soffit

Trim color includes
Door Trim
Fascia





Vinyl sided buildings come standard with 60" wide Fiberglass slab doors with transom windows. 6 panel and 9 lite doors also available.









Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

Roof Options







STANDARD 3-TAB SHINGLES





DIMENSIONAL SHINGLES



METAL ROOF





14. Bright

White



15. Light

Stone

Blue









Window & Door Options

VINYL SHUTTER & FLOWERBOX COLORS

- 1. White
- 4. Green
- 2. Black
- 5. Grey
- 3. Brown
- 6. Clay

WINDOWS SIZES & STYLES

Aluminum

18x27" | 24x36" | 24x47" | 30x36"

Insulated

24x36" | 36x40"

- 1. Window with trim
- 2. Wooden bar shutters
- 3. Wooden "Z" shutters and vinyl flowerbox
- 4. Vinyl shutters
- 5. 24x47" window with transom
- 6. Black aluminum windows New for 2023!













2.

3.











- DOORS
- 1. Plain door
- 2. Diamond bottom (standard)
- 3. Decorative hinges (standard on EZ-Fit Series)
- 4. Decorative hinges and transom windows
- 5. Plain Door with 24x24" windows
- 6. Fiberglass with transom windows
- 7. Entrance door with glass
- 8. Entrance door 6 panel

















7.

8.

Paint & Stain Options

STANDARD PAINT & TRIM COLORS

Painting is included with prebuilt structures & optional for built onsite structures.





























Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.











URETHANE STAINS

Enjoy the beauty of a semi-transparent stain coupled with the durability of Smartside siding. Also includes painted trim.







POPULAR OPTIONS

Here's some of our favorite color schemes!







Accent



Options & Accessories

MISCELLANEOUS OPTIONS

- 1. Treated ramp 48", 60", or 72" width
- 2. Steps and railing
- 3. Steps with landing
- 4. 4' Treated deck
- 5. Shelving
- 6. Loft Ladder














CUPOLAS & WEATHERVANES

- 1. Cupolas: painted white, 16" or 22"
- 2. 16" Painted cupola with weathervane
- 3. Eagle weathervane
- 4. Rooster weathervane
- 5. Horse weathervane











5

MISCELLANEOUS OPTIONS

- 1. Awning roof
- 2. Post "Y" braces
- 3. Single or double door threshold
- 4. Decorative flowerbox holder
- 5. 12" Decorative hinges Std. on EZ-Fit Series











Built On-Site Structures

- Available in any size building
- Onsite construction eliminates access problems
- Prefabricated panels & trusses are built in our facility
- Optional Painting/Staining
 Painted by our team before we deliver!



Built on-site structures are prefabricated in our facility and assembled on the job-site, allowing us to build your shed right on the spot. Painting is optional.







Prebuilt Structures

- Available in smaller sheds (contact salesman for size limitations)
- · Access needed to site
- Delivered fully assembled
- Includes Painting (with Smartside Siding)
- · Mule Delivery available upon request



Prebuilt structures are assembled in our facility and delivered to your site by truck and trailer. Painting is included on buildings with smartside siding.









Doors Back

Doors Passenger

Mule delivery

Alpine STRUCTURES

email sales@alpinestructures.net phone 330.359.5708 • 800.359.7522

custom structures

custom built structures - modified to fulfill your expectations.















2675 US 62 · Dundee, Ohio 44624 | Located 1.5 miles West of Winesburg, Ohio | Contractor #PA039333, WV050269 | ©2023

